

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name** **BOTAMENT SF 100 (Komponente B)**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**
Sealing mortar
Hardening agent/ Curing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** BOTAMENT Systembaustoffe
Am Kruppwald 1
D-46238 Bottrop

Tel.: ++49(0)2041 101-90
Fax.: ++49(0)2041 101-988
- **Informing department:** Product safety department.
msds@botament.com
- **Emergency telephone number:** Tel.: ++49(0)178 310 10 43

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R35: Causes severe burns.

- **Classification system:** The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been labelled in accordance with EC Directives / relevant national laws.

- **Code letter and hazard designation of product:**



C Corrosive

- **Hazard-determining components of labelling:** potassium hydroxide

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 1)

- **Risk phrases:** 35 Causes severe burns.
- **Safety phrases:**
 - 20 When using do not eat or drink.
 - 23 Do not breathe vapour/spray
 - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 - 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 - 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

	Alkalisilikatlösung	Xi R38-41 Eye Dam. 1, H318; Skin Irrit. 2, H315	50-70%
CAS: 1310-58-3 EINECS: 215-181-3	potassium hydroxide	C R35; Xn R22 Skin Corr. 1A, H314; Acute Tox. 4, H302	<25%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact** Instantly rinse with water.
- **After eye contact** Rinse opened eye for several minutes under running water. Call a doctor immediately.
- **After swallowing** Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13.
- **Reference to other sections** See Section 8 for information on personal protection equipment.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container. Unsuitable material for container: aluminium. Do not use light alloy containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

1310-58-3 potassium hydroxide (<25%)

WEL () Short-term value: 2 mg/m³

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 3)

- **Additional information:** *The lists that were valid during the compilation were used as basis.*

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** *Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.*

- **Breathing equipment:** *In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.*

- **Protection of hands:** *Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.*

- **Material of gloves** *Butyl rubber, BR
Nitrile rubber, NBR
Chloroprene rubber, CR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

- **Penetration time of glove material** *The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.*

- **Eye protection:** *Tightly sealed safety glasses.*
- **Body protection:** *Alkaline resistant protective clothing
Protective work clothing.*

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** *Fluid*
 - Colour:** *Yellow*
 - Smell:** *Odourless*
- **pH-value:** *Alkaline*
- **Change in condition**
 - Melting point/Melting range:** *Not determined*
 - Boiling point/Boiling range:** *100°C*
- **Flash point:** *Not applicable*
- **Self-inflammability:** *Product is not selfigniting.*
- **Danger of explosion:** *Product is not explosive.*

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 4)

- | | |
|--|--|
| · Steam pressure at 20°C: | 23 hPa |
| · Density at 20°C | 1.4 g/cm ³ |
| · Solubility in / Miscibility with Water: | Fully miscible |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Alkalisilikatlösung

Oral LD50 >2000 mg/kg (Ratte)

1310-58-3 potassium hydroxide

Oral LD50 365 mg/kg (Ratte)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effect known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 5)

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key number:** 52402
Bez.: Laugen, Laugengemische und Beizen (basisch)
Entsorgungshinweise:
Chemisch-physikalische Behandlung

· **European waste catalogue**

06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 02 00	wastes from the MFSU of bases
06 02 99	wastes not otherwise specified

- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN1814
- **UN proper shipping name**
- **ADR** 1814 POTASSIUM HYDROXIDE SOLUTION
- **IMDG, IATA** POTASSIUM HYDROXIDE SOLUTION
- **Transport hazard class(es)**
- **ADR**
- **Class** 8 (C5) Corrosive substances.
- **Label** 8
- **IMDG, IATA**
- **Class** 8 Corrosive substances.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

(Contd. of page 6)

· Label	8
· Packing group · ADR, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	no No
· Special precautions for user · Kemler Number: · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A, S-B Alkalis
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Tunnel restriction code	E
· UN "Model Regulation":	UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, II

15 Regulatory information

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
R22 Harmful if swallowed.
R35 Causes severe burns.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Mr. Hemming
- **Abbreviations and acronyms:** ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
LC50: Lethal concentration, 50 percent

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Revision: 26.01.2012

Trade name BOTAMENT SF 100 (Komponente B)

LD50: Lethal dose, 50 percent

(Contd. of page 7)

· * **Data compared to the
previous version altered.**

GB